



BASIC FEATURES

AGE GROUP: 5 to 12 years old
FALL HEIGHT (CSA): 33" (0,8m) (ASTM): 33" (0,8m)
CHILD CAPACITY: 2 children
DIMENSION (WT x DT x HT): 1'4" x 8'10" x 4'5" (0,4m x 2,7m x 1,3m)
SHOCK ABSORBING SURFACE (CSA): 16' x 25' (4,9m x 7,6m)
SHOCK ABSORBING SURFACE (ASTM): 22' x 29' (6,7m x 8,8m)



DESCRIPTION

A twist on a traditional Teeter Totter, this teeter totter gives you the ability to stand instead of sit. The oscillation system mounted on rubber makes sure the ends never touch the ground thus preventing harsh landings.

ANCHORING



ON STRINGERS

This product is anchored to the ground by a system of galvanized steel stringers. Some parts of the stringers may be made of recycled plastic.

MATERIALS

METALS

Arched structure(s): Made of 6065-T6 grade aluminum tube, 5" (127mm) in diameter.
Hardware: Made of stainless steel, Anti-vandal type.

FLEXIBLE MATERIALS

Oscillation System: Made of 82 durometer ultra resistant rubber, treated against UV rays and steel reinforced. (lv)

PLASTIC MATERIALS

Seat(s): Made of HDPE polyethylene colored in the mass and treated against UV rays. All edges are rounded for maximum safety.(lv)
Handle(s): Made of HDPE polyethylene colored in the mass and treated against UV rays.
Footboard(s): Made of HDPE polyethylene colored in the mass and treated against UV rays. All edges are rounded for maximum safety.(lv)

COATINGS

Paint: Painted metal parts are white blasted first, then coated with a primer and Z-series polyester powder, which has an extreme resistance to ultraviolet (UV) rays and weather. (lv)

COLOUR CHOICES

Aluminum



Made at our factory in Lévis, Québec, Canada • Meets CAN/CSA-Z614 • IPEMA Certified