



**BASIC FEATURES**

AGE GROUP: 18 months to 5 years old  
 FALL HEIGHT (CSA): 24" (0,6m) (ASTM): 24" (0,6m)  
 CHILD CAPACITY: 2 children  
 DIMENSION (WT x DT x HT): 1'11" x 6'0" x 1'4" (0,6m x 1,8m x 0,4m)  
 SHOCK ABSORBING SURFACE (CSA): 20' x 16' (6,1m x 4,9m)



**DESCRIPTION**

A new and original teeter totter. The central axis and spring ensure stable movement. That means, no bumpers required on the ground. And, the engraving at the centre can be matched to the desired theme.

**ANCHORING**



**ON STRINGERS**

This product is anchored to the ground by a system of galvanized steel stringers. Some parts of the stringers may be made of recycled plastic.

**MATERIALS**

**METALS**

**Arched structure(s):** Aluminum tube measuring 1-1/2"(38mm) in outer diameter.  
**Base:** 6005-T5 grade aluminum tube measuring 2-3/8"(60mm) in outer diameter.  
**Hardware:** Made of stainless steel, Anti-vandal type.  
**Spring(s):** Helical type anti-pinch 5/8" (16mm) diameter rod. Fixing to its ends by heavy-duty brackets.

**PLASTIC MATERIALS**

**Plate(s):** Panels are made of HDPE polyethylene colored in the mass and treated against UV rays. All edges are rounded for maximum safety.(lv)  
**Handel(s) and step(s):** Made of HDPE polyethylene colored in the mass and treated against UV rays.

**COATINGS**

**Paint:** Painted metal parts are white blasted first, then coated with a primer and Z-series polyester powder, which has an extreme resistance to ultraviolet (UV) rays and weather. (lv)

**COLOUR CHOICES**

**Polyethylene Panels (1/2")**



**Aluminum**



Made at our factory in Lévis, Québec, Canada • Meets CAN/CSA-Z614 and ASTM ASTM F1487