

## BASIC FEATURES

CHILD CAPACITY: **2 adults**

DIMENSION (WT x DT x HT): **2'1" x 4'4" x 4'11" (0,6m x 1,3m x 1,5m)**

SHOCK ABSORBING SURFACE (CSA): **8' x 6' (2,4m x 1,8m)**

## DESCRIPTION

Functionality: : Endurance, Targets the lower body and pelvic muscles.



## ANCHORING



### ON CONCRETE SLAB

This product is anchored to the ground on concrete slabs.

## MATERIALS

### METALS

**Post(s):** 6061-T6 aluminum alloy tube measuring 5" (127mm) in outer diameter, with 0.125" wall thickness.

**Metal frame(s):** Made of steel (sv)

**Hardware:** Stainless steel

### PLASTIC MATERIALS

**Panels:** Panels and other plastic parts are made of HDPE polyethylene colored in the mass and treated against UV rays. All edges are rounded for maximum safety.(lv)

### COMPOSITES MATERIALS

**Tip(s) end(s):** Made of polyester resin containing 10% recycled material. The finish is slip resistant.

### MECHANICAL COMPONENTS

**Pivot(s):** Teflon-coated mounted bushing.

### FLEXIBLE MATERIALS

**Flange Covers:** Made of 82 durometer ultra resistant rubber and treated against UV rays.

### COATINGS

**Paint:** Painted metal parts are white blasted first, then coated with a primer and Z-series polyester powder, which has an extreme resistance to ultraviolet (UV) rays and weather. (lv)

**Galvanization:** The steel of the structure is hot dipped galvanized.

## COLOUR CHOICES

### Aluminum



Made at our factory in Lévis, Québec, Canada.