



BASIC FEATURES

CHILD CAPACITY: 1 adult

DIMENSION (WT x DT x HT): 1'8" x 4'10" x 3'2" (0,5m x 1,5m x 1m)

SHOCK ABSORBING SURFACE (CSA): 6' x 9' (1,8m x 2,7m)

DESCRIPTION

Functionality: Endurance and Targets the lower body and legs.

ANCHORING



ON CONCRETE SLAB

This product is anchored to the ground on concrete slabs.

MATERIALS

METALS

Post(s): 6061-T6 aluminum alloy tube measuring 5" (127mm) in outer diameter, with 0.125" wall thickness.

Metal frame(s): Made of steel (sv)

Hardware: Stainless steel

PLASTIC MATERIALS

Panels: Panels and other plastic parts are made of HDPE polyethylene colored in the mass and treated against UV rays. All edges are rounded for maximum safety.(lv)

COMPOSITES MATERIALS

Tip(s) end(s): Made of polyester resin containing 10% recycled material. The finish is slip resistant.

FLEXIBLE MATERIALS

Flange Covers: Made of 82 durometer ultra resistant rubber and treated against UV rays.

MECHANICAL COMPONENTS

Ball Bearings: Tapered roller type. Capacity of 34,000 lbs (15422 kg).

COATINGS

Paint: Painted metal parts are white blasted first, then coated with a primer and Z-series polyester powder, which has an extreme resistance to ultraviolet (UV) rays and weather. (lv)

Galvanization: The steel of the structure is hot dipped galvanized.

COLOUR CHOICES

Aluminum



Made at our factory in Lévis, Québec, Canada.