



BASIC FEATURES

AGE GROUP: 18 months to 12 years old
FALL HEIGHT (CSA): 16" (0,4m) (ASTM): 16" (0,4m)
CHILD CAPACITY: 1 child
DIMENSION (WT x DT x HT): 1'6" x 1'6" x 1'4" (0,5m x 0,5m x 0,4m)
SHOCK ABSORBING SURFACE (CSA): 14' x 14' (4,3m x 4,3m)
SHOCK ABSORBING SURFACE (ASTM): 14' x 14' (4,3m x 4,3m)

DESCRIPTION

A great addition to your park, this spinner can be used in a sitting position or lying facedown. It creates a rotation motion through its slightly inclined vertical axis. An individual experience you can't miss!!



BODY MOVEMENTS



ANCHORING



ON STRINGERS
This product is anchored to the ground by a system of galvanized steel stringers. Some parts of the stringers may be made of recycled plastic.

MATERIALS

METALS

Base: Made of steel tube measuring 4-1/2" (114mm) in diameter.

Handle(s): Steel

Hardware: Made of stainless steel, Anti-vandal type.

COATINGS

Paint: Painted metal parts are white blasted first, then coated with a primer and Z-series polyester powder, which has an extreme resistance to ultraviolet (UV) rays and weather. (lv)

FLEXIBLE MATERIALS

Disc(s): The disc is composed of three pieces of 82 durometer ultra resistant rubber, treated against UV rays and steel reinforced.

Flange Covers: Made of 82 durometer ultra resistant rubber and treated against UV rays.

MECHANICAL COMPONENTS

Ball Bearings: Tapered roller type. Capacity of 34,000 lbs (15422 kg).

COLOUR CHOICES

Steel



Made at our factory in Lévis, Québec, Canada • Meets CAN/CSA-Z614 and ASTM F1487 • IPEMA Certified