### Baseball spring rider • LA-19000



#### **BASIC FEATURES**

AGE GROUP: 18 months to 5 years old FALL HEIGHT (CSA): 16" (0,4m) (ASTM): 16" (0,4m) CHILD CAPACITY: 1 child DIMENSION (WT x DT x HT): 1'3" x 2'1" x 2'5" (0,4m x 0,6m x 0,7m) SHOCK ABSORBING SURFACE (CSA): 14' x 15' (4,3m x 4,6m)

SHOCK ABSORBING SURFACE (ASTM): 14' x 15' (4,3m x 4,6m)

#### DESCRIPTION

Liven up your playground with our colourful animal menagerie! This model of spring rider is always popular with the little ones. Its flat seat, footrest, small diameter handle and high sides make it a perfect fit.

# ANCHORING

### **ON STRINGERS**

This product is anchored to the ground by a system of galvanized steel stringers. Some parts of the stringers may be made of recycled plastic.



## MATERIALS

PLASTIC MATERIALS	
Plate(s) and panel(s):	Panels and other plastic parts are made of HDPE polyethylene colored in the mass and treated against UV rays. All edges are rounded for maximum safety.(Iv)
Handel(s) and step(s):	Made of HDPE polyethylene colored in the mass and treated against UV rays.
METALS	
Spring(s):	Helical type anti-pinch 5/8" (16mm) diameter rod. Fixing to its ends by heavy-duty brackets.
Hardware:	Made of stainless steel, camouflaged by HDPE safety caps.
COATINGS	
Paint:	Painted metal parts are white blasted first, then coated with a primer and Z-series polyester powder, which has an extreme resistance to ultraviolet (UV) rays and weather. Our paint also has antibacterial and antiviral properties (Iv)
Galvanization:	Some attachments are hot dipped galvanized.

### **COLOUR CHOICES**



Made at our factory in Lévis, Québec, Canada • Meets CAN/CSA-Z614 and ASTM ASTM F1487



