





## PSYCHOMOTOR COURSES

# LAYOUTS *high in play value*

Our most popular system of deck-less challenge circuits.

Both diversified and easy to arrange, the J2 promotes physical activity, pure and simple. The modular components of the J2 series can be used to create stand-alone circuits or one that complement the J3 series. J2: the simple way to design layouts high in play value.



**Jambette**.com










J2-15010-5B



J2-15011-5B




J2-15016-5B



J2-15019-5B



J2-15031-5B 




J2-16015-5B



J2-16041-5B

Model	Name	Age group	Child capacity	Required surface	Fall height
J2-15010-5B	The exerciser	5-12 years old	1	18' x 16' / 5.5 m x 4.9 m	4' 2" / 1.3 m
J2-15011-5B	The log roll	5-12 years old	2	19' x 16' / 5.8 m x 4.9 m	5' 7" / 1.7 m
J2-15016-5B	The balance beam	5-12 years old	3	20' x 15' / 6.1 m x 4.6 m	0' 8" / 0.2 m
J2-15019-5B	The oscillating balance beam	5-12 years old	3	22' x 18' / 6.7 m x 5.5 m	0' 9" / 0.3 m
J2-15031-5B	The reel	18 months-12 years old	1	18' x 14' / 5.5 m x 4.2 m	3' 2" / 0.9 m
J2-16015-5B	The cable bridge	18 months-12 years old	4	23' x 17' / 7 m x 5.2 m	4' 2" / 1.3 m
J2-16041-5B	The fin bridge	5-12 years old	8	24' x 18' / 7.3 m x 5.5 m	5' 5" / 1.7 m



 Based on the CAN/CSA-Z614 Standard, installation on a cushioning surface and compliance with clearance distances are required during installation.

 This logo identifies products that are wheelchair accessible in accordance with Appendix H of the CAN/CSA-Z614 standard and the Americans With Disabilities Act Accessibility Guidelines (ADAAG).









J2-15017-5B



J2-15021-5B



J2-15022-5B




J2-15023-5B



J2-15024-5B



J2-16018-5B



J2-16038-5B




J2-16039-5B


Model	Name	Age group	Child capacity	Required surface	Fall height
J2-15017-5B	The spider web	5-12 years old	5	24' x 17' / 7.3 m x 5.2 m	8' 3" / 2.2 m
J2-15021-5B	The crab climber	5-12 years old	6	24' x 15' / 7.3 m x 4.6 m	7' 4" / 2.2 m
J2-15022-5B	The vertical net	5-12 years old	5	24' x 16' / 7.3 m x 4.9 m	7' 7" / 2.3 m
J2-15023-5B	The stone crossing	5-12 years old	5	24' x 18' / 7.3 m x 5.5 m	2' 6" / 0.8 m
J2-15024-5B	The art deco bridge	5-12 years old	5	24' x 16' / 7.3 m x 4.9 m	7' 4" / 2.2 m
J2-16018-5B	The volcanic stone crossing	5-12 years old	5	24' x 18' / 7.3 m x 5.5 m	2' 8" / 0.8 m
J2-16038-5B	The alga climber	5-12 years old	8	25' x 19' / 7.6 m x 5.8 m	4' 10" / 1.5 m
J2-16039-5B	The alga climber-steel	5-12 years old	8	25' x 19' / 7.6 m x 5.8 m	4' 10" / 1.5 m



**!** Based on the CAN/CSA-Z614 Standard, installation on a cushioning surface and compliance with clearance distances are required during installation.



J2-15008-5B 



J2-15009-5B



J2-15012-5B



J2-15013-5B



J2-15014-5B




J2-15015-5B



J2-15020-5B

Model	Name	Age group	Child capacity	Required surface	Fall height
<b>J2-15008-5B</b>	The monkey bar with 2 rings	5–12 years old	1	15' x 18' / 4.6 m x 5.5 m	5' 10" / 1.8 m
<b>J2-15009-5B</b>	The monkey bar	5–12 years old	1	18' x 15' / 5.5 m x 4.6 m	4' 9" / 1.5 m
<b>J2-15012-5B</b>	The twirling bridge	5–12 years old	5	24' x 17' / 7.3 m x 5.2 m	6' 2" / 1.9 m
<b>J2-15013-5B</b>	The overhead ring ladder	5–12 years old	5	24' x 16' / 7.3 m x 4.9 m	7' 4" / 2.2 m
<b>J2-15014-5B</b>	The overhead loop ladder	5–12 years old	5	24' x 17' / 7.3 m x 5.2 m	6' 2" / 1.9 m
<b>J2-15015-5B</b>	The asymmetrical overhead ladder	5–12 years old	5	24' x 16' / 7.3 m x 4.9 m	7' 4" / 2.2 m
<b>J2-15020-5B</b>	The rock wall	5–12 years old	4	17' x 14' / 5.2 m x 4.3 m	8' 0" / 2.4 m




 Based on the CAN/CSA-Z614 Standard, installation on a cushioning surface and compliance with clearance distances are required during installation.


 This logo identifies products that are wheelchair accessible in accordance with Appendix H of the CAN/CSA-Z614 standard and the Americans With Disabilities Act Accessibility Guidelines (ADAAG).




J2-15026-5B




J2-16008-5B




J2-16011-5B




J2-17101-5HB 




J2-17102-5HB 




J2-17103-5HB 




J2-17104-5HB 




J2-17105-5HB 




J2-17106-5HB 

Model	Name	Age group	Child capacity	Required surface	Fall height
<b>J2-15026-5B</b>	The oscillating overhead loop ladder	5-12 years old	6	17' x 24' / 5.2 m x 7.3 m	7' 4" / 2.3 m
<b>J2-16008-5B</b>	The double monkey bar	5-12 years old	2	15' x 22' / 4.6 m x 6.7 m	4' 7" / 1.4 m
<b>J2-16011-5B</b>	The triple monkey bar	18 months-12 years old	3	15' x 26' / 4.6 m x 7.9 m	4' 0" / 1.2 m
<b>J2-17101-5HB</b>	The adapted curved overhead ring ladder	18 months-12 years old	2	18' x 22' / 5.5 m x 6.7 m	5' 6" / 1.7 m
<b>J2-17102-5HB</b>	The adapted overhead ring ladder	18 months-12 years old	2	18' x 22' / 5.5 m x 6.7 m	5' 6" / 1.7 m
<b>J2-17103-5HB</b>	The adapted curved overhead loop ladder	18 months-12 years old	2	18' x 22' / 5.5 m x 6.7 m	5' 6" / 1.7 m
<b>J2-17104-5HB</b>	The adapted overhead loop ladder	18 months-12 years old	2	18' x 22' / 5.5 m x 6.7 m	5' 6" / 1.7 m
<b>J2-17105-5HB</b>	The adapted asymmetrical overhead ladder	18 months-12 years old	2	18' x 22' / 5.5 m x 6.7 m	4' 5" / 1.4 m
<b>J2-17106-5HB</b>	The adapted monkey crossing	18 months-12 years old	2	18' x 22' / 5.5 m x 6.7 m	5' 6" / 1.7 m



 Based on the CAN/CSA-Z614 Standard, installation on a cushioning surface and compliance with clearance distances are required during installation.

 This logo identifies products that are wheelchair accessible in accordance with Appendix H of the **CAN/CSA-Z614** standard and the **Americans With Disabilities Act Accessibility Guidelines (ADAAG)**.

# Jambette<sup>.COM</sup>

700, rue des Calfats  
Lévis, Québec  
G6Y 9E6  
Canada

Tel: 418 837-8246  
Toll free: 1 877 363-2687  
Fax: 418 837-2916

**jambette.com**

We reserve the right to change product features, prices and service details without notice.

LICENCE RBQ: 8330-7280-51



**MADE IN CANADA**



This logo identifies products that are wheelchair accessible in accordance with Appendix H of the CAN/CSA-Z614 standard and the Americans With Disabilities Act Accessibility Guidelines (ADAAG).



To verify product  
certification,  
visit [www.ipema.org](http://www.ipema.org)



To verify product  
certification,  
visit [www.ipema.org](http://www.ipema.org)

The International Play Equipment Manufacturers Association (IPEMA) provides a third-party certification to ensure product conformance to specific ASTM and/or CSA standards. Each product promoted here, if certified by IPEMA, includes the name and model number for you to search the IPEMA website for verification. To verify product certification, visit [www.ipema.org](http://www.ipema.org) and conduct a search.

PRINTED IN CANADA