



BASIC FEATURES

AGE GROUP: 18 months to 12 years old
 FALL HEIGHT (CSA): 16" (0,4m) (ASTM): 16" (0,4m)
 CHILD CAPACITY: 4 children
 DIMENSION (WT x DT x HT): 3'6" x 3'6" x 4'6" (1,1m x 1,1m x 1,4m)
 SHOCK ABSORBING SURFACE (CSA): 18' x 18' (5,5m x 5,5m)
 SHOCK ABSORBING SURFACE (ASTM): 18' x 18' (5,5m x 5,5m)



DESCRIPTION


This spring-loaded equipment to be used in a standing position will remind young users of the movement of the sea, as if they were hanging on a buoy which reacts to the movement of the waves. Can be used alone or with others, the wide platform and the solid and comfortable handles ensure safe use.

BODY MOVEMENTS

 Climbing
 ■■■■■ Moderate (4)
 Pulling up
 ■■■■■ Moderate (4)

 Balancing
 ■■■■■ Moderate (6)

ANCHORING

 **ON STRINGERS**
 This product is anchored by a system of frames covered with a protective coating buried in the ground. Some parts of the frames can be made from recycled plastic.

MATERIALS

PLASTIC MATERIALS

Panels: Panels and other plastic parts are made of HDPE polyethylene colored in the mass and treated against UV rays. All edges are rounded for maximum safety.(lv)

Handle(s): Made of HDPE polyethylene colored in the mass and treated against UV rays.

METALS

Handle(s): Aluminium tube measuring 1-1/2" (38mm) in diameter.

Post(s): 6061-T6 aluminum alloy tube measuring 3-1/2" (89mm) in outer diameter, with 0.148" wall thickness.

Spring(s): Helical type anti-pinch 5/8" (16mm) diameter rod. Fixing to its ends by heavy-duty brackets.

COLOUR CHOICES

Polyethylene Panels (3/4")



Made at our factory in Lévis, Québec, Canada • Meets CAN/CSA-Z614 and ASTM ASTM F1487